ELSEVIER

Mechanisms of Development 73 (1998) 231–232

Author index

Volume 73 (1998)

Acampora, D., see Avantaggiato, V., 221
Altmann, C.R., see Williams, S.C., 225
Amemiya, A., see Nataf, V., 217
Arnold, H.-H., see Pabste, O., 85
Avantaggiato, V., Orlandini, M., Acampora, D., Oliviero, S., Simeone, A., Embryonic expression pattern of the murine *figf* gene, a growth factor belonging to platelet-derived growth factor/vascular endothelial growth factor family, 221

Bardales, R., see Hidai, H., 33
Barsacchi, G., see Pannese, M., 73
Benzer, S., see Leiserson, W.M., 193
Biben, C., Hatzistavrou, T., Harvey, R.P., Expression of *NK-2* class homeobox gene *Nkx2–6* in foregut endoderm and heart, 125
Boncinelli, E., see Pannese, M., 73
Bonini, N.M., see Leiserson, W.M., 193
Brûlet, P., see Zakin, L.D.J., 107
Bradfield, C.A., see Jain, S., 117
Braun, T., see Mennerich, D., 147

Chow, R.L., see Williams, S.C., 225
Copp, A.J., see Greene, N.D.E., 59
Currie, P.D., Ingham, P.W., The generation and interpretation of positional information within the vertebrate myotome, 3

Drivenes, Ø, see Seo, H.-C., 45

Ellingsen, S., see Seo, H.-C., 45
Etkin, L.D., see Kloc, M., 95

Fjose, A., see Seo, H.-C., 45
Fujioka, M., see Ma, Y., 169
Fujisawa-Sehara, A., see Kurisaki, T., 211
Fujitani, K., see Yamamoto, D., 135

Gerrelli, D., see Greene, N.D.E., 59
Gertenstein, M., see Rossant, J., 183
Goodwin, R., see Hidai, H., 33
Goto, T., see Ma, Y., 169
Greene, N.D.E., Gerrelli, D., Van Straaten, H.W.M., Copp, A.J., Abnormalities of floor plate, notochord and somite differentiation in the *loop-tail* (*Lp*) mouse: a model of severe neural tube defects, 59
Guénet, J.-L., see Zakin, L.D.J., 107
Guillemot, F., see Rossant, J., 183

Harvey, R.P., see Biben, C., 125
Hatzistavrou, T., see Biben, C., 125
Heller, A., Steinmann-Zwicky, M., In *Drosophila*, female gonadal cells repress male-specific gene expression in XX germ cells, 203
Hemmati-Brivanlou, A., see Williams, S.C., 225
Herbrand, H., see Pabste, O., 85

Hidai, H., Bardales, R., Goodwin, R., Quertermous, T., Cloning of capsulin, a basic helix-loop-helix factor expressed in progenitor cells of the pericardium and the coronary arteries<fn id="1">The sequence reported in this paper has been deposited in the Genbank data base (accession no.: AF029753), 33
Hiemisch, H., Monaghan, A.P., Schütz, G., Kaestner, K.H., Expression of the mouse *Fkh1/Mf1 and Mfh1* genes in late gestation embryos is restricted to mesoderm derivatives, 129
Hudson, C., Woodland, H.R., Xpat, a gene expressed specifically in germ plasm and primordial germ cells of *Xenopus laevis*, 159

Ingham, P.W., see Currie, P.D., 3
Ito, H., see Yamamoto, D., 135

Jain, S., Maltepe, E., Lu, M.M., Simon, C., Bradfield, C.A., Expression of ARNT, ARNT2, HIF1α, HIF2α and Ah receptor mRNAs in the developing mouse, 117

Kablar, B., see Pannese, M., 73
Kaestner, K.H., see Hiemisch, H., 129
Kloc, M., Etkin, L.D., Apparent continuity between the messenger transport organizer and late RNA localization pathways during oogenesis in *Xenopus*, 95
Kurisaki, T., Masuda, A., Osumi, N., Nabeshima, Y.-i., Fujisawa-Sehara, A., Spatially- and temporally-restricted expression of meltrin α (ADAM12) and β (ADAM19) in mouse embryo, 211

Lang, R.A., see Williams, S.C., 225
Latham, K., see Rossant, J., 183
Le Douarin, N.M., see Nataf, V., 217
Leiserson, W.M., Benzer, S., Bonini, N.M., Dual functions of the *Drosophila eyes absent* gene in the eye and embryo, 193
Lu, J., Richardson, J.A., Olson, E.N., Capsulin: a novel bHLH transcription factor expressed in epicardial progenitors and mesenchyme of visceral organs, 23
Lu, M.M., see Jain, S., 117
Lupo, G., see Pannese, M., 73

Ma, Y., Niemitz, E.L., Nambu, P.A., Shan, X., Sackerson, C., Fujioka, M., Goto, T., Nambu, J.R., Gene regulatory functions of *Drosophila* Fish-hook, a high mobility group domain Sox protein, 169
Maltepe, E., see Jain, S., 117
Martin, N., see Zakin, L.D.J., 107
Masuda, A., see Kurisaki, T., 211
Maury, M., see Zakin, L.D.J., 107
Mazan, S., see Zakin, L.D.J., 107
Mennerich, D., Schäfer, K., Braun, T., Pax-3 is necessary but not sufficient for lbx1 expression in myogenic precursor cells of the limb, 147
Monaghan, A.P., see Hiemisch, H., 129

Nabeshima, Y.-i., see Kurisaki, T., 211

0925-4773/98/$19.00 © 1998 Elsevier Science Ireland Ltd. All rights reserved
PII: S0925-4773(97)00080-X

Nagy, A., see Rossant, J., 183
Nakano, Y., see Yamamoto, D., 135
Nambu, J.R., see Ma, Y., 169
Nambu, P.A., see Ma, Y., 169
Nataf, V., Amemiya, A., Yanagisawa, M., Le Douarin, N.M., The expression pattern of endothelin 3 in the avian embryo, 217
Niemitz, E.L., see Ma, Y., 169

Oliviero, S., see Avantaggiato, V., 221
Olson, E.N., see Lu, J., 23
Orlandini, M., see Avantaggiato, V., 221
Osumi, N., see Kurisaki, T., 211

Pabste, O., Herbrand, H., Arnold, H.-H., Nkx2-9 is a novel homeobox transcription factor which demarcates ventral domains in the developing mouse CNS, 85
Pannese, M., Lupo, G., Kablar, B., Boncinelli, E., Barsacchi, G., Vignali, R., The *Xenopus Emx* genes identify presumptive dorsal telencephalon and are induced by head organizer signals, 73

Quertermous, T., see Hidai, H., 33

Richardson, J.A., see Lu, J., 23
Rossant, J., Guillemot, F., Tanaka, M., Latham, K., Gertenstein, M., Nagy, A., Mash2 is expressed in oogenesis and preimplantation development but is not required for blastocyst formation, 183

Sackerson, C., see Ma, Y., 169
Schäfer, K., see Mennerich, D., 147
Schütz, G., see Hiemisch, H., 129
Seo, H.-C., Drivenes, &O., Ellingsen, S., Fjose, A., Expression of two zebrafish homologues of the murine *Six3* gene demarcates the initial eye primordia, 45
Shan, X., see Ma, Y., 169
Simeone, A., see Avantaggiato, V., 221
Simon, C., see Jain, S., 117
Steinmann-Zwicky, M., see Heller, A., 203

Tanaka, M., see Rossant, J., 183

Usui, K., see Yamamoto, D., 135

Van Straaten, H.W.M., see Greene, N.D.E., 59
Vignali, R., see Pannese, M., 73

Williams, S.C., Altmann, C.R., Chow, R.L., Hemmati-Brivanlou, A., Lang, R.A., A highly conserved lens transcriptional control element from the Pax-6 gene, 225
Woodland, H.R., see Hudson, C., 159

Yamamoto, D., Fujitani, K., Usui, K., Ito, H., Nakano, Y., From behavior to development: genes for sexual behavior define the neuronal sexual switch in *Drosophila*, 135
Yanagisawa, M., see Nataf, V., 217

Zakin, L.D.J., Mazan, S., Maury, M., Martin, N., Guénet, J.-L., Brûlet, P., Structure and expression of *Wnt13*, a novel mouse *Wnt2* related gene, 107

ELSEVIER

Mechanisms of Development 73 (1998) 233–237

Subject index

Volume 73 (1998)

Acoustic ganglion; Mouse embryogenesis; Mesenchyme; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Pituitary development; Limb bud; Skin; Proliferation; Differentiation; Epithelial-mesenchymal signalling **73**, 221

ADAM; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

ADAM12; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

ADAM19; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Ah receptor; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

Ah receptor nuclear translocator; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

ARNT; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

ARNT2; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

Avian; Embryo; Endothelin 3; Experssion pattern; Enteridc nervous system; Melanocytes **73**, 217

Axial patterning; RNA localization; Vegetal cortex; *Xenopus laevis*; Oocyte polarity; Development **73**, 95

Basic helix-loop-helix (bHLH); Capsulin **73**, 23, 33

Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

bHLH-PAS; Basic helix-loop-helix-PAS; PAS proteins; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

Blastocyst; Mouse; Trophoblast; Mash2; Imprinting; Targeted mutation **73**, 183

Bone; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Brain development; *Wnt*; Mouse **73**, 107

Capsulin; Basic helix-loop-helix (bHLH) **73**, 23, 33

Cartilage primordia; Mouse embryo ; Fkh1; Mfh1; Mf1; Mesenchyme; Nasal capsule; Nasal septum; Meckel's cartilage; Otic capsule; Vertebra; Winged helix transcription factors **73**, 129

c-met; Migration; Epithelial-mesenchymal transition; lbxl; Pax-3 **73**, 147

CNS development; Homeobox transcription factor; Nkx2 genes **73**, 85

Common bile duct; *NK-2*; *Nkx2–6*; Homeobox; Heart; Pharynx; Pharyngeal endoderm; Pharyngeal pouches; Pancreas; Pancreatic duct **73**, 125

Default pathway; Germline; Gonad; *mgml*; Sex determination **73**, 203

Development; RNA localization; Axial patterning; Vegetal cortex; *Xenopus laevis*; Oocyte polarity **73**, 95

Differentiation; Mouse embryogenesis; Mesenchyme; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Acoustic ganglion; Pituitary development; Limb bud; Skin; Proliferation; Epithelial-mesenchymal signalling **73**, 221

Dioxin; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; TCDD; Endothelial; HLF; HRF **73**, 117

Disintegrin; Meltrin α; Meltrin β; Metalloprotease; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Dorsal root ganglia; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Sensory neuron; Motor neuron **73**, 211

dissatisfaction; Sex determination; Sexual dimorphism; *fruitless* **73**, 135

Drosophila; HMG domain; Sox gene; Transcriptional regulation **73**, 169

Drosophila; *Eyes absent*; Eye development; Embryogenesis; Genetic mosaic **73**, 193

0925-4773/98/$19.00 © 1998 Elsevier Science Ireland Ltd. All rights reserved
PII: S0925-4773(98)00081-1

Embryo; Endothelin 3; Avian; Experssion pattern; Enteridc nervous system; Melanocytes **73**, 217

Embryogenesis; Genetic mosaic; *Drosphila*; *Eyes absent*; Eye development **73**, 193

Endothelial; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; HLF; HRF **73**, 117

Endothelin 3; Avian; Embryo; Experssion pattern; Enteridc nervous system; Melanocytes **73**, 217

Enteridc nervous system; Endothelin 3; Avian; Embryo; Experssion pattern; Melanocytes **73**, 217

EPAS1; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

Epithelial-mesenchymal signalling; Mouse embryogenesis; Mesenchyme; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Acoustic ganglion; Pituitary development; Limb bud; Skin; Proliferation; Differentiation **73**, 221

Epithelial-mesenchymal transition; Migration; lbxl; Pax-3; c-met **73**, 147

Experssion pattern; Endothelin 3; Avian; Embryo; Enteridc nervous system; Melanocytes **73**, 217

Eye development; *Drosphila*; *Eyes absent*; Embryogenesis; Genetic mosaic **73**, 193

Eyes absent; *Drosphila*; *Eye development*; Embryogenesis; Genetic mosaic **73**, 193

Fkh1; Mouse embryo ; Mfh1; Mf1; Mesenchyme; Cartilage primordia; Nasal capsule; Nasal septum; Meckel's cartilage; Otic capsule; Vertebra; Winged helix transcription factors **73**, 129

Floor plate; Neural tube; *Lp/Lp* embryo **73**, 59

Forebrain; Homeobox; Gastrulation; Pituitary; Lens placode; Olfactory placode 73, 45

fruitless; Sex determination; Sexual dimorphism; *dissatisfaction* **73**, 135

Gastrulation; Homeobox; Forebrain; Pituitary; Lens placode; Olfactory placode **73**, 45

Genetic mosaic; *Drosphila*; *Eyes absent*; Eye development; Embryogenesis **73**, 193

Germ plasm; *Xenopus*; Primordial germ cell; RNA localization; *Xpat* **73**, 159

Germline; Default pathway; Gonad; *mgml*; Sex determination **73**, 203

Gonad; Default pathway; Germline; *mgml*; Sex determination **73**, 203

Growth factor; Mouse embryogenesis; Mesenchyme; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Acoustic ganglion; Pituitary development; Limb bud; Skin; Proliferation; Differentiation; Epithelial-mesenchymal signalling **73**, 221

Head organizer; *Xenopus*; Homeobox genes; Rostral brain patterning; Neural induction **73**, 73

Heart; *NK-2*; *Nkx2–6*; Homeobox; Pharynx; Pharyngeal endoderm; Pharyngeal pouches; Pancreas; Pancreatic duct; Common bile duct **73**, 125

HIF1α; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

HIF2α; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

HLF; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; EPAS2; HRF **73**, 117

HMG domain; *Drosophila*; Sox gene; Transcriptional regulation **73**, 169

Homeobox; Gastrulation; Forebrain; Pituitary; Lens placode; Olfactory placode **73**, 45

Homeobox; *NK-2*; *Nkx2–6*; Heart; Pharynx; Pharyngeal endoderm; Pharyngeal pouches; Pancreas; Pancreatic duct; Common bile duct **73**, 125

Homeobox genes; *Xenopus*; Rostral brain patterning; Neural induction; Head organizer **73**, 73

Homeobox transcription factor; CNS development; Nkx2 genes **73**, 85

HRF; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; EPAS2; HLF **73**, 117

Hypoxia; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

Hypoxia inducible factors; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

Imprinting; Mouse; Trophoblast; Mash2; Blastocyst; Targeted mutation **73**, 183

lbxl; Migration; Epithelial-mesenchymal transition; Pax-3; c-met **73**, 147

Lens placode; Homeobox; Gastrulation; Forebrain; Pituitary; Olfactory placode **73**, 45

Limb bud; Mouse embryogenesis; Mesenchyme; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Acoustic ganglion; Pituitary development; Skin; Proliferation; Differentiation; Epithelial-mesenchymal signalling **73**, 221

Lp/Lp embryo; Floor plate; Neural tube **73**, 59

Lung; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Mash2; Mouse; Trophoblast; Blastocyst; Imprinting; Targeted mutation **73**, 183

Meckel's cartilage; Mouse embryo ; Fkh1; Mfh1; Mf1; Mesenchyme; Cartilage primordia; Nasal capsule; Nasal septum; Otic capsule; Vertebra; Winged helix transcription factors **73**, 129

Melanocytes; Endothelin 3; Avian; Embryo; Experssion pattern; Enteridc nervous system **73**, 217

Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Meltrin β; Meltrin α; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Mesenchyme; Mouse embryo ; Fkh1; Mfh1; Mf1; Cartilage primordia; Nasal capsule; Nasal septum; Meckel's cartilage; Otic capsule; Vertebra; Winged helix transcription factors **73**, 129

Mesenchyme; Mouse embryogenesis; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Acoustic ganglion; Pituitary development; Limb bud; Skin; Proliferation; Differentiation; Epithelial-mesenchymal signalling **73**, 221

Metalloprotease; Meltrin α; Meltrin β; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Mf1; Mouse embryo ; Fkh1; Mfh1; Mesenchyme; Cartilage primordia; Nasal capsule; Nasal septum; Meckel's cartilage; Otic capsule; Vertebra; Winged helix transcription factors **73**, 129

Mfh1; Mouse embryo ; Fkh1; Mf1; Mesenchyme; Cartilage primordia; Nasal capsule; Nasal septum; Meckel's cartilage; Otic capsule; Vertebra; Winged helix transcription factors **73**, 129

mgml; Default pathway; Germline; Gonad; Sex determination **73**, 203

Migration; Epithelial-mesenchymal transition; lbxl; Pax-3; c-met **73**, 147

MOP2; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

Motor neuron; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron **73**, 211

Mouse; *Wnt*; Brain development **73**, 107

Mouse; Trophoblast; Mash2; Blastocyst; Imprinting; Targeted mutation **73**, 183

Mouse embryo; Fkh1; Mfh1; Mf1; Mesenchyme; Cartilage primordia; Nasal capsule; Nasal septum; Meckel's cartilage; Otic capsule; Vertebra; Winged helix transcription factors **73**, 129

Mouse embryogenesis; Mesenchyme; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Acoustic ganglion; Pituitary development; Limb bud; Skin; Proliferation; Differentiation; Epithelial-mesenchymal signalling **73**, 221

Muscle; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Myogenesis; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Myotome; Positional information; Vertebrate **73**, 3

Nasal capsule; Mouse embryo ; Fkh1; Mfh1; Mf1; Mesenchyme; Cartilage primordia; Nasal septum; Meckel's cartilage; Otic capsule; Vertebra; Winged helix transcription factors **73**, 129

Nasal septum; Mouse embryo ; Fkh1; Mfh1; Mf1; Mesenchyme; Cartilage primordia; Nasal capsule; Meckel's cartilage; Otic capsule; Vertebra; Winged helix transcription factors **73**, 129

Neural induction; *Xenopus*; Homeobox genes; Rostral brain patterning; Head organizer **73**, 73

Neural tube; Floor plate; *Lp/Lp* embryo **73**, 59

Neurogenesis; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Nkx2 genes; Homeobox transcription factor; CNS development **73**, 85

NK-2; *Nkx2–6*; Homeobox; Heart; Pharynx; Pharyngeal endoderm; Pharyngeal pouches; Pancreas; Pancreatic duct; Common bile duct **73**, 125

Nkx2–6; *NK-2*; Homeobox; Heart; Pharynx; Pharyngeal endoderm; Pharyngeal pouches; Pancreas; Pancreatic duct; Common bile duct **73**, 125

Olfactory placode; Homeobox; Gastrulation; Forebrain; Pituitary; Lens placode **73**, 45

Oocyte polarity; RNA localization; Axial patterning; Vegetal cortex; *Xenopus laevis*; Development **73**, 95

Osteogenesis; Meltrin α; Meltrin β; Metalloprotease; Disintegrin;

ADAM; ADAM12; ADAM19; Myogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Sensory neuron; Motor neuron **73**, 211

Otic capsule; Mouse embryo ; Fkh1; Mfh1; Mf1; Mesenchyme; Cartilage primordia; Nasal capsule; Nasal septum; Meckel's cartilage; Vertebra; Winged helix transcription factors **73**, 129

Pancreas; *NK-2*; *Nkx2–6*; Homeobox; Heart; Pharynx; Pharyngeal endoderm; Pharyngeal pouches; Pancreatic duct; Common bile duct **73**, 125

Pancreatic duct; *NK-2*; *Nkx2–6*; Homeobox; Heart; Pharynx; Pharyngeal endoderm; Pharyngeal pouches; Pancreas; Common bile duct **73**, 125

PAS proteins; Basic helix-loop-helix-PAS; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

PAS; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

Pax-3; Migration; Epithelial-mesenchymal transition; lbxl; c-met **73**, 147

Pax-6 gene; Proximal promoter; Transcription factors **73**, 225

Pharyngeal endoderm; *NK-2*; *Nkx2–6*; Homeobox; Heart; Pharynx; Pharyngeal pouches; Pancreas; Pancreatic duct; Common bile duct **73**, 125

Pharyngeal pouches; *NK-2*; *Nkx2–6*; Homeobox; Heart; Pharynx; Pharyngeal endoderm; Pancreas; Pancreatic duct; Common bile duct **73**, 125

Pharynx; *NK-2*; *Nkx2–6*; Homeobox; Heart; Pharyngeal endoderm; Pharyngeal pouches; Pancreas; Pancreatic duct; Common bile duct **73**, 125

Pituitary; Homeobox; Gastrulation; Forebrain; Lens placode; Olfactory placode **73**, 45

Pituitary development; Mouse embryogenesis; Mesenchyme; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Acoustic ganglion; Limb bud; Skin; Proliferation; Differentiation; Epithelial-mesenchymal signalling **73**, 221

Platelet-derived growth factor/vascular endothelial growth factor; Mouse embryogenesis; Mesenchyme; Growth factor; Tooth; Acoustic ganglion; Pituitary development; Limb bud; Skin; Proliferation; Differentiation; Epithelial-mesenchymal signalling **73**, 221

Positional information; Vertebrate; Myotome **73**, 3

Primordial germ cell; *Xenopus*; Germ plasm; RNA localization; *Xpat* **73**, 159

Proliferation; Mouse embryogenesis; Mesenchyme; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Acoustic ganglion; Pituitary development; Limb bud; Skin; Differentiation; Epithelial-mesenchymal signalling **73**, 221

Proximal promoter; Pax-6 gene; Transcription factors **73**, 225

RNA localization; *Xenopus*; Germ plasm; Primordial germ cell; *Xpat* **73**, 159

RNA localization; Axial patterning; Vegetal cortex; *Xenopus laevis*; Oocyte polarity; Development **73**, 95

Rostral brain patterning; *Xenopus*; Homeobox genes; Neural induction; Head organizer **73**, 73

Sensory neuron; Meltrin α; Meltrin β; Metalloprotease; Disintegrin; ADAM; ADAM12; ADAM19; Myogenesis; Osteogenesis; Neurogenesis; Muscle; Bone; Lung; Dorsal root ganglia; Motor neuron **73**, 211

Sex determination; Sexual dimorphism; *fruitless*; *dissatisfaction* **73**, 135

Sex determination; Default pathway; Germline; Gonad; *mgml* **73**, 203

Sexual dimorphism; Sex determination; *fruitless*; *dissatisfaction* **73**, 135

Skin; Mouse embryogenesis; Mesenchyme; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Tooth; Acoustic ganglion; Pituitary development; Limb bud; Proliferation; Differentiation; Epithelial-mesenchymal signalling **73**, 221

Sox gene; *Drosophila*; HMG domain; Transcriptional regulation **73**, 169

Targeted mutation; Mouse; Trophoblast; Mash2; Blastocyst; Imprinting **73**, 183

TCDD; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; Xenobiotic; EPAS1; MOP2; Dioxin; Endothelial; HLF; HRF **73**, 117

Tooth; Mouse embryogenesis; Mesenchyme; Growth factor; Platelet-derived growth factor/vascular endothelial growth factor; Acoustic ganglion; Pituitary development; Limb bud; Skin; Proliferation; Differentiation; Epithelial-mesenchymal signalling **73**, 221

Transcription factors; Pax-6 gene; Proximal promoter **73**, 225

Transcriptional regulation; *Drosophila*; HMG domain; Sox gene **73**, 169

Trophoblast; Mouse; Mash2; Blastocyst; Imprinting; Targeted mutation **73**, 183

Vegetal cortex; RNA localization; Axial patterning; *Xenopus laevis*; Oocyte polarity; Development **73**, 95

Vertebrate; Positional information; Myotome **73**, 3

Vertebra; Mouse embryo ; Fkh1; Mfh1; Mf1; Mesenchyme; Cartilage

primordia; Nasal capsule; Nasal septum; Meckel's cartilage; Otic capsule; Winged helix transcription factors **73**, 129

Winged helix transcription factors; Mouse embryo ; Fkh1; Mfh1; Mf1; Mesenchyme; Cartilage primordia; Nasal capsule; Nasal septum; Meckel's cartilage; Otic capsule; Vertebra **73**, 129

Wnt; Brain development; Mouse **73**, 107

Xenobiotic; Basic helix-loop-helix-PAS; PAS proteins; bHLH-PAS; Ah receptor; Ah receptor nuclear translocator; ARNT; ARNT2; Hypoxia inducible factors; HIF1α; HIF2α; PAS; Hypoxia; EPAS1; MOP2; Dioxin; TCDD; Endothelial; HLF; HRF **73**, 117

Xenopus; Homeobox genes; Rostral brain patterning; Neural induction; Head organizer **73**, 73

Xenopus; Germ plasm; Primordial germ cell; RNA localization; *Xpat* **73**, 159

Xenopus laevis; RNA localization; Axial patterning; Vegetal cortex; Oocyte polarity; Development **73**, 95

Xpat; *Xenopus*; Germ plasm; Primordial germ cell; RNA localization **73**, 159